
Tar-Pamlico Nutrient Strategy: A Large-Scale Watershed Restoration



National NPS Coordinators' Conference, Park City, Utah Rich Gannon, NC Division of Water Quality


Talk Outline

- Basin and strategy overview
- Accounting
- Progress
- Hindsight


Insights for Mandatory Restoration Strategies

- Adequate planning time. For:
- Buy-in on problem & contributors is key
- Create options with affected parties
- Inclusive, fair, open process
- Inclusive, equitable & workable outcomes
 - Performance goals
 - Maximize options
- Reality check: dual accounting

TAR-PAMLICO RIVER BASIN



Sources of Nitrogen to Pamlico River (% of N Load at Washington)





Tar-Pamlico Nutrient Strategy

Noteworthy Features

- Dischargers & enviro's originated
- Estuary N, P loading goals & allocations
- Point source caps, offset to ag BMPs
- Innovative cropland regulation
- Clean-up deadline

Buy-In on Problem?


Late '80's – yes
 (highly visible)



> Agreement reflected strong collaboration

• Late '90's – no (crisis passed)

➤ Rules harder to adopt



Planning Stages

- Template (Neuse):
 - 2+ yrs, 2 rounds public input
 - Legislated stakeholder committee
- Tar rulemaking process 3 yrs:
 - Draft rules 8 stakeholder teams
 - Hearing Officer-stakeholder deliberations 1 yr.
 - Legislative arbitration process 6 mo.
- Implementation 1st 2 yrs developed model & accounting

Nonpoint Source Rules

Tar-Pamlico Nutrient Strategy

O Agriculture

- 30% IN loss in 5 years or else EMC
- No û P
- Local control, local responsibility
- Option: standard BMPs or collective fate
- **Eand-based' accounting annual reports

2 Fertilizer Management

- Applicators training or plans in 5 years
- Homeowners DWQ education program

Nonpoint Source Rules

Tar-Pamlico Nutrient Strategy

Riparian Buffer Protection

- All land uses
- Existing 50-ft veg'd buffers
- Pre-existing uses continue
- Change in use?Must establish buffer


4 Urban Stormwater

11 key local governments

- New development meets export targets
- Illicit discharge detection/removal
- Education programs & seek retrofits



Agricultural Nitrogen Loss Accounting Tool



Agricultural N Loss Reductions from 1991

	2003 2004
N Rate Decreases	23.0 22.5
Crop Shifts	11.6 11.8
BMPs	5.1 6.5
Crop Acreage Reduction	7.1 <u>6.3</u>
Total N Loss Reduction	47% 47%

Stormwater Export

Coastal Pla	in of the T	ar-Pamlic	o River B	asin:		
Includes Green	ville and Washi	ngton as well	as Pitt and Be	eaufort Counties		
BA P n by	vel Calcul i	on Wer	beet (Auton	rd)		
Pr /ct / me.	Ulr	721	LCC	L		
Date:						
By:				Checked By:		
Directions:						

- > It may be advantageous to split the development into separate catchments to be handled by separate BMPs. The tables below allow the development to be split into as many as three catchments, and can be copied for greater than three. NOTE: Unless minoff
- > **Above each table:** Enter the catchment acreage in the top green blank. Based on a comparison of the post-development TN and TP export coefficients you calculated above to the rule requirements of 4.0 lb/ac/yr TN and 0.4 lb/ac/yr TP, select a BMP or BMPs
- > Catchment Tables: Enter the acres of each type of land cover in the green boxes. The spreadsheet will calculate all of the light blue boxes. NOTE: Compare the Total Catchment Acreage for the Development (final table) to the value you established in th


			TN	TP		
ВМР	Wet Detention Pond Stormwater Wetland Sand Filter		25	40 35		
Nutrient			40			
Removal			35	45		
Rates	Bioretention		40	35		
	Grass Swales Vegetated Filter Strip w/ Level Spreader		20	20		
			30	30		
Catchment 1:						
Total acreage of catchment 1 =		ac				
First BMP's TN removal rate =		%	First BMP's TP removal rate =			%
Second BMP's TN removal rate =		%	Second BMP's TP removal rate =			%
TOTAL TN REMOVAL RATE =	0	%	TOTAL TP REMOVAL RATE =		0	%
(1) Type of Land Cover	(2) Catchment Acreage	(3) S.M. Formula (0.51 + 9.1 I)	(4) Average EMC of TN (mg/L)	(5) Column (2)*(3)*(4)	(6) Average EMC of TP (mg/L)	(7) Column (2) * (3) * (6)
Transportation impervious			2.60		0.40	
Roofimpervious			1.95		0.15	
Managed pervious			1.42		0.31	
Wooded pervious			0.94		0.14	
Area taken up by BMP			1.95		0.15	

catenment 2.						
Total acreage of catchment 2 =		ac				
First BMP's TN removal rate =		%	First BMP's TI	removal rate =		%
Second BMP's TN removal rate =		%	Second BMP's TI	removal rate =		%
TOTAL TN REMOVAL RATE =		%	TOTAL TP REM			%
(1)	(2)	(3)	(4)	(5)	(6)	(7)
Type of Land Cover	Catchment	S.M. Formula	Average EMC of	Column	Average EMC of	Column
	Acreage	(0.51 + 9.1 I)	TN (mg/L)	(2) * (3) * (4)	TP (mg/L)	(2) * (3) * (6)
Transportation impervious			2.60		0.40	
Roof impervious			1.95		0.15	
Managed pervious			1.42		0.31	
Wooded pervious			0.94		0.14	
Area taken up by BMP			1.95		0.15	
Fraction Impervious (I) =			Pre-BMP TN Load (lb/yr) =		Pre-BMP TP Load (lb/yr) =	
			Pre-BMP TN		Pre-BMP TP	
Total Area of Development =			Export (lb/ac/yr)		Export (lb/ac/yr)	
			Post-BMP TN Load (lb/yr) =		Post-BMP TP Load (lb/yr) =	
			Post-BMP TN		Post-BMP TP	
G . 1			Export (lb/ac/yr)		Export (lb/ac/yr)	
Catchment 3:						
Total acreage of catchment 3 =		ac				
First BMP's TN removal rate =		%		removal rate =		%
Second BMP's TN removal rate =		%	Second BMP's TP removal rate =			%
TOTAL TN REMOVAL RATE =	0	%	TOTAL TP REM	OVAL RATE =	0	%
(1) Type of Land Cover	(2) Catchment	(3) S.M. Formula	(4) Average EMC of	(5) Column	(6) Average EMC of	(7) Column
	Acreage	(0.51 + 9.1 I)	TN (mg/L)	(2)*(3)*(4)	TP (mg/L)	(2) * (3) * (6)
Trans portation impervious			2.60		0.40	
Roof impervious			1.95		0.15	
Managed pervious			1.42		0.31	
Wooded pervious			0.94		0.14	
Area taken up by BMP			1.95		0.15	
Fraction Impervious (I) =			Pre-BMP TN Load (lb/yr) =		Pre-BMP TP Load (lb/yr) =	
Total Area of Development =			Pre-BMP TN Export (lb/ac/yr)		Pre-BMP TP Export (lb/ac/yr)	
			Post-BMP TN Load (lb/yr) =		Post-BMP TP Load (lb/yr) =	
Weighted Average of Nut	rient Load	ings from th	he Catchments	s:		
g grand of 11th	Catchment	Post-BMP	Post-BMP			
	Acreage	TN Loading (lb/ac/yr)	TP Loading (lb/ac/yr)			
Catchment 1	0.00	0.00	0.00			
Catchment 2	0.00	0.00	0.00			
Catchment 3	0.00	0.00	0.00			
TOTAL FOR DEVIA OF TAXE	0.00	0.00	0.00			

0.00


Catchment 2:

TOTAL FOR DEVELOPMENT




N Load IN Cap Avg. Flow


Point Source Association Phosphorus Loads, Tar-Pamlico River Basin. NC




Avg. Flow

P Load P Cap







Insights for Mandatory Restoration Strategies

- Adequate planning time. For:
- Buy-in on problem & contributors
- Create options with affected parties
- Inclusive, fair, open process
- Inclusive, equitable & workable outcomes
 - Performance goals
 - Maximize options
- Reality check: dual accounting

More Information

Tar-Pamlico Nutrient Strategy

http://h2o.enr.state.nc.us/nps/tarpam.htm

Neuse Nutrient Strategy

http://h2o.enr.state.nc.us/nps/Neuse_NSW_Rules.htm

Draft Jordan Lake Nutrient Strategy

Report to October 2005 Water Quality Committee:

http://h2o.enr.state.nc.us/admin/

Stakeholder Process, More Documents:

http://www.tjcog.dst.nc.us/jorlak/jlsp.htm

DWQ staff contact: Rich Gannon 919-733-5083 ext. 356, rich.gannon@ncmail.net

N Cost-Effectiveness Comparison

Practice	\$/lb Reduced (30-Yr. Life Equiv.)		
Agriculture			
Water Control Structure	\$1.20		
Nutrient Management	\$7 - \$9		
Vegetated Filter Strip	\$7 - \$8		
Conservation Tillage	\$20 - \$80		
Riparian Wetland Restoration	\$11 - \$20		
Stormwater Wet Det. / Bioret.	\$57 - \$86		